

Thursday, May 10, 2012

Attn: Mr. Darrick Jones Leggette, Brashears & Graham 6 Executive Drive Farmington CT 06030

Project ID: SATIN

Sample ID#s: BB79857 - BB79880

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

Phyllis Shiller

Laboratory Director

NELAC - #NY11301 CT Lab Registration #PH-0618 MA Lab Registration #MA-CT-007 ME Lab Registration #CT-007 NH Lab Registration #213693-A,B NJ Lab Registration #CT-003 NY Lab Registration #11301 PA Lab Registration #68-03530 RI Lab Registration #63 VT Lab Registration #VT11301



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB

Standard

N-32 7-8

Rush Request:

P.O.#:

Client ID:

% DCBP % TCMX **Custody Information** Collected by: NS

LB

05/02/12 05/02/12

МН

МН

30 - 150 %

30 - 150 %

Date

9:40

14:55

Time

Analyzed by: see "By" below

%

05/05/12

<u>_aboratory Data</u>

Received by:

SDG ID: GBB79857 Phoenix ID: BB79857

Project ID: SATIN

Result RL Parameter Units Date Time By Reference 05/02/12 Percent Solid 66 % JL E160.3 Completed 05/03/12 Soxhlet Extraction for PCB SW3540C PCB (Soxhlet) PCB-1016 ND 0.49 mg/Kg 05/05/12 МН 3540C/8082 PCB-1221 ND 0.49 mg/Kg 05/05/12 MH 3540C/8082 ND 05/05/12 0.49 MH 3540C/8082 PCB-1232 mg/Kg ND 0.49 05/05/12 PCB-1242 mg/Kg MH 3540C/8082 PCB-1248 ND 0.49 mg/Kg 05/05/12 МН 3540C/8082 ND 0.49 05/05/12 PCB-1254 mg/Kg МН 3540C/8082 PCB-1260 ND 0.49 mg/Kg 05/05/12 МН 3540C/8082 ND 0.49 05/05/12 PCB-1262 mg/Kg МН 3540C/8082 ND 05/05/12 PCB-1268 0.49 mg/Kg MH 3540C/8082 QA/QC Surrogates 94 05/05/12

96

Page 1 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB79857 Client ID: N-32 7-8

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 2 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information Custody Information Matrix: **SOLID**

Location Code: LBG-PCB Standard

Rush Request:

P.O.#:

Date Time 05/02/12 Collected by: NS 9:42 Received by: LB 05/02/12 14:55

Analyzed by: see "By" below

Laboratory Data

SDG ID: GBB79857

Phoenix ID: BB79858

SATIN Project ID:

Client ID: N-32 8-8.5

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid Soxhlet Extraction for PCB	86 Completed		%	05/02/12 05/03/12		JL	E160.3 SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.37	mg/Kg	05/05/12		МН	3540C/8082
PCB-1221	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	94		%	05/05/12		MH	30 - 150 %
% TCMX	96		%	05/05/12		MH	30 - 150 %

Page 3 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB79858

Client ID: N-32 8-8.5

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 4 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID Location Code: LBG-PCB Rush Request: Standard

P.O.#:

Custody InformationDateTimeCollected by:NS05/02/129:16Received by:LB05/02/1214:55

Analyzed by: see "By" below

Laboratory Data

SDG ID: GBB79857

Phoenix ID: BB79859

Project ID: SATIN

Client ID: N-37 0-1

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid Soxhlet Extraction for PCB	91 Completed		%	05/02/12 05/03/12		JL	E160.3 SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.36	mg/Kg	05/05/12		МН	3540C/8082
PCB-1221	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	4.8	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	105		%	05/05/12		MH	30 - 150 %
% TCMX	94		%	05/05/12		MH	30 - 150 %

Page 5 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB79859
Client ID: N-37 0-1

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 6 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB Rush Request: Standard

P.O.#:

05/02/12 Collected by: NS Received by: LB 05/02/12 14:55

Analyzed by: see "By" below

Laboratory Data

Custody Information

SDG ID: GBB79857

Time

9:18

Phoenix ID: BB79860

Date

SATIN Project ID:

N-37 1.5-2 Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	88		%	05/02/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/03/12			SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.37	mg/Kg	05/05/12		МН	3540C/8082
PCB-1221	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	93		%	05/05/12		MH	30 - 150 %
% TCMX	92		%	05/05/12		МН	30 - 150 %

Page 7 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB79860

Client ID: N-37 1.5-2

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 8 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID Location Code: LBG-PCB Rush Request: Standard

P.O.#:

Custody InformationDateTimeCollected by:NS05/02/129:20Received by:LB05/02/1214:55

Analyzed by: see "By" below

Laboratory Data

SDG ID: GBB79857

Phoenix ID: BB79861

Project ID: SATIN

Client ID: N-37 2-2.5

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid Soxhlet Extraction for PCB	86 Completed		%	05/02/12 05/03/12		JL	E160.3 SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.38	mg/Kg	05/05/12		МН	3540C/8082
PCB-1221	ND	0.38	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.38	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.38	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.38	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	ND	0.38	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	ND	0.38	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.38	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.38	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	100		%	05/05/12		MH	30 - 150 %
% TCMX	92		%	05/05/12		MH	30 - 150 %

Page 9 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB79861

Client ID: N-37 2-2.5

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 10 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID Location Code: LBG-PCB Rush Request: Standard

P.O.#:

Custody InformationDateTimeCollected by:NS05/02/128:50Received by:LB05/02/1214:55

Analyzed by: see "By" below

Laboratory Data

SDG ID: GBB79857

Phoenix ID: BB79862

Project ID: SATIN

Client ID: N-38 0-1

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid Soxhlet Extraction for PCB	91 Completed		%	05/02/12 05/03/12		JL	E160.3 SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.35	mg/Kg	05/05/12		МН	3540C/8082
PCB-1221	ND	0.35	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.35	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.35	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.35	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	ND	0.35	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	0.96	0.35	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.35	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.35	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	94		%	05/05/12		MH	30 - 150 %
% TCMX	86		%	05/05/12		MH	30 - 150 %

Page 11 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB79862
Client ID: N-38 0-1

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 12 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information Custody Information Date Time Matrix: **SOLID** Collected by: NS 05/02/12 8:52 **Location Code:** LBG-PCB Received by: LB 05/02/12 14:55

Rush Request: Standard Analyzed by: see "By" below

Laboratory Data SDG ID: GBB79857

Phoenix ID: BB79863

Project ID: SATIN

P.O.#:

Client ID: N-38 1-2

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	90		%	05/02/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/03/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.37	mg/Kg	05/05/12		МН	3540C/8082
PCB-1221	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	2.9	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	100		%	05/05/12		MH	30 - 150 %
% TCMX	65		%	05/05/12		MH	30 - 150 %

Page 13 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB79863
Client ID: N-38 1-2

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 14 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID Location Code: LBG-PCB Rush Request: Standard

P.O.#:

 Collected by:
 NS
 05/02/12

 Received by:
 LB
 05/02/12

Analyzed by: see "By" below

Laboratory Data

Custody Information

SDG ID: GBB79857

Time

8:54

14:55

Phoenix ID: BB79864

Date

Project ID: SATIN

Client ID: N-38 2-2.5

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	90		%	05/02/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/03/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.36	mg/Kg	05/05/12		МН	3540C/8082
PCB-1221	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	0.78	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	108		%	05/05/12		MH	30 - 150 %
% TCMX	118		%	05/05/12		МН	30 - 150 %

Page 15 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB79864

Client ID: N-38 2-2.5

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 16 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID Location Code: LBG-PCB Rush Request: Standard

P.O.#:

Client ID:

Custody Information
Collected by: NS

Received by:

LB

05/02/12

Date

9:05

Time

05/02/12 14:55

Analyzed by: see "By" below

Laboratory Data

SDG ID: GBB79857

Phoenix ID: BB79865

Project ID: SATIN

N-38 5-6

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	81		%	05/02/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/03/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.41	mg/Kg	05/05/12		МН	3540C/8082
PCB-1221	ND	0.41	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.41	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.41	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.41	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	ND	0.41	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	ND	0.41	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.41	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.41	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	97		%	05/05/12		MH	30 - 150 %
% TCMX	88		%	05/05/12		MH	30 - 150 %

Page 17 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB79865
Client ID: N-38 5-6

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 18 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID Location Code: LBG-PCB Rush Request: Standard

P.O.#:

Collected by: NS 05/02/12
Received by: LB 05/02/12

Analyzed by: see "By" below

Laboratory Data

Custody Information

SDG ID: GBB79857

Time

9:07

14:55

Phoenix ID: BB79866

Date

Project ID: SATIN

Client ID: N-38 6-7

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	79		%	05/02/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/03/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.42	mg/Kg	05/05/12		МН	3540C/8082
PCB-1221	ND	0.42	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.42	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.42	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.42	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	ND	0.42	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	ND	0.42	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.42	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.42	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	96		%	05/05/12		MH	30 - 150 %
% TCMX	87		%	05/05/12		MH	30 - 150 %

Page 19 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB79866
Client ID: N-38 6-7

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 20 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information Custody Information Date Time Matrix: **SOLID** Collected by: NS 05/02/12 9:09 **Location Code:** LBG-PCB Received by: LB 05/02/12 14:55

Rush Request: Standard Analyzed by: see "By" below

Laboratory Data SDG ID: GBB79857

Phoenix ID: BB79867

Project ID: SATIN

N-38 7-8

P.O.#:

Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	71		%	05/02/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/03/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.45	mg/Kg	05/05/12		МН	3540C/8082
PCB-1221	ND	0.45	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.45	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.45	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.45	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	ND	0.45	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	ND	0.45	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.45	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.45	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	97		%	05/05/12		MH	30 - 150 %
% TCMX	90		%	05/05/12		MH	30 - 150 %

Page 21 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB79867 Client ID: N-38 7-8

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 22 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB Standard

Rush Request:

P.O.#:

Custody Information Collected by: NS

Received by: LB

Laboratory Data

Analyzed by:

see "By" below

05/02/12 05/02/12

Date

9:10

14:55

Time

SDG ID: GBB79857

Phoenix ID: BB79868

SATIN Project ID:

N-38 8-8.5 Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	49		%	05/02/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/03/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.68	mg/Kg	05/05/12		МН	3540C/8082
PCB-1221	ND	0.68	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.68	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.68	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.68	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	ND	0.68	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	ND	0.68	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.68	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.68	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	92		%	05/05/12		MH	30 - 150 %
% TCMX	86		%	05/05/12		MH	30 - 150 %

Page 23 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB79868

Client ID: N-38 8-8.5

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 24 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information Custody Information Date Time 05/02/12 Matrix: **SOLID** Collected by: NS 14:28 **Location Code:** LBG-PCB Received by: LB 05/02/12 14:55

Rush Request: Standard Analyzed by: see "By" below

Laboratory Data SDG ID: GBB79857

Phoenix ID: BB79869

Project ID: SATIN

Client ID: N-22 0-1

P.O.#:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	83		%	05/02/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/03/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.4	mg/Kg	05/05/12		МН	3540C/8082
PCB-1221	ND	0.4	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.4	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.4	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.4	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	ND	0.4	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	ND	0.4	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.4	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.4	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	96		%	05/05/12		MH	30 - 150 %
% TCMX	88		%	05/05/12		MH	30 - 150 %

Page 25 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB79869
Client ID: N-22 0-1

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 26 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB Standard

Rush Request:

P.O.#:

Client ID:

Custody Information Collected by: NS

Received by: LB Analyzed by:

Laboratory Data

see "By" below

05/02/12 05/02/12

14:30 14:55

Date

SDG ID: GBB79857

Time

Phoenix ID: BB79870

SATIN Project ID:

N-22 1-2

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	86		%	05/02/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/03/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.39	mg/Kg	05/05/12		МН	3540C/8082
PCB-1221	ND	0.39	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.39	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.39	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.39	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	ND	0.39	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	ND	0.39	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.39	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.39	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	98		%	05/05/12		MH	30 - 150 %
% TCMX	94		%	05/05/12		MH	30 - 150 %

Page 27 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB79870 Client ID: N-22 1-2

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 28 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information Custody Information Date Time 05/02/12 Matrix: **SOLID** Collected by: NS 14:32 **Location Code:** LBG-PCB Received by: LB 05/02/12 14:55

Rush Request: Standard Analyzed by: see "By" below

Laboratory Data SDG ID: GBB79857

Phoenix ID: BB79871

Project ID: SATIN

Client ID: N-22 5-6

P.O.#:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	86		%	05/02/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/03/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1221	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.37	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	100		%	05/05/12		MH	30 - 150 %
% TCMX	96		%	05/05/12		МН	30 - 150 %

Page 29 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB79871

Client ID: N-22 5-6

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 30 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID Location Code: LBG-PCB Rush Request: Standard

P.O.#:

Custody InformationDateCollected by:NS05/02/12Received by:LB05/02/12

Analyzed by: see "By" below

Laboratory Data

SDG ID: GBB79857

Time

14:16

14:55

Phoenix ID: BB79872

Project ID: SATIN

Client ID: N-23 0-1

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid Soxhlet Extraction for PCB	91 Completed		%	05/02/12 05/03/12		JL */*	E160.3 SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.35	mg/Kg	05/05/12		MH	3540C/8082
PCB-1221	ND	0.35	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.35	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.35	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.35	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	ND	0.35	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	ND	0.35	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.35	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.35	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	102		%	05/05/12		MH	30 - 150 %
% TCMX	98		%	05/05/12		MH	30 - 150 %

Page 31 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB79872
Client ID: N-23 0-1

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 32 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID Location Code: LBG-PCB Rush Request: Standard

P.O.#:

Custody InformationDateTimeCollected by:NS05/02/1214:18Received by:LB05/02/1214:55

Analyzed by: see "By" below

Laboratory Data

SDG ID: GBB79857

Phoenix ID: BB79873

Project ID: SATIN

Client ID: N-23 1-1.5

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	88		%	05/02/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/03/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.36	mg/Kg	05/05/12		МН	3540C/8082
PCB-1221	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.36	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	98		%	05/05/12		MH	30 - 150 %
% TCMX	96		%	05/05/12		MH	30 - 150 %

Page 33 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB79873
Client ID: N-23 1-1.5

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 34 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

Date

Time

6 Executive Drive Farmington CT 06030

Sample Information Custody Information

Matrix: SOLID Collected by: NS

 Matrix:
 SOLID
 Collected by:
 NS
 05/02/12
 14:20

 Location Code:
 LBG-PCB
 Received by:
 LB
 05/02/12
 14:55

Rush Request: Standard Analyzed by: see "By" below

Laboratory Data SDG ID: GBB79857

Phoenix ID: BB79874

Project ID: SATIN

P.O.#:

Client ID: N-23 5-6

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	43		%	05/02/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/03/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.74	mg/Kg	05/05/12		МН	3540C/8082
PCB-1221	ND	0.74	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.74	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.74	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.74	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	ND	0.74	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	ND	0.74	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.74	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.74	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	88		%	05/05/12		MH	30 - 150 %
% TCMX	84		%	05/05/12		MH	30 - 150 %

Page 35 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB79874

RL

Units

Date

Time

Ву

Reference

Client ID: N-23 5-6

Comments:

Parameter

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Result

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 36 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID Location Code: LBG-PCB

Rush Request: Standard

P.O.#:

Collected by: NS 05/02/12 14:22 Received by: LB 05/02/12 14:55

Analyzed by: see "By" below

Laboratory Data

Custody Information

SDG ID: GBB79857

Time

Phoenix ID: BB79875

Date

Project ID: SATIN

Client ID: N-23 6-7

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	56		%	05/02/12 05/03/12		JL */*	E160.3
Soxhlet Extraction for PCB	Completed			05/03/12		/	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.57	mg/Kg	05/05/12		MH	3540C/8082
PCB-1221	ND	0.57	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.57	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.57	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.57	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	ND	0.57	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	ND	0.57	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.57	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.57	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	101		%	05/05/12		MH	30 - 150 %
% TCMX	94		%	05/05/12		MH	30 - 150 %

Page 37 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB79875
Client ID: N-23 6-7

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 38 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB Standard

Rush Request:

P.O.#:

Custody Information Collected by:

Received by:

NS LB 05/02/12 05/02/12

Date

14:26

14:55

Time

Analyzed by: see "By" below

Laboratory Data

SDG ID: GBB79857

Phoenix ID: BB79876

SATIN Project ID:

N-23 7-7.5 Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	91		%	05/02/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/03/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.36	mg/Kg	05/06/12		МН	3540C/8082
PCB-1221	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1232	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1242	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1248	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1254	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1260	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1262	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1268	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	93		%	05/06/12		MH	30 - 150 %
% TCMX	90		%	05/06/12		MH	30 - 150 %

Page 39 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB79876

Client ID: N-23 7-7.5 Parameter Units RL

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Result

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Date

Time

By

Reference

Page 40 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-PCB
Rush Request: Standard

P.O.#:

Custody Information

Collected by: Received by:

NS LB 05/02/12

Date

11:15

Time

05/02/12 14:55

see "By" below

Laboratory Data

Analyzed by:

SDG ID: GBB79857 Phoenix ID: BB79877

Project ID: SATIN

Client ID: N-24 0-1

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid Soxhlet Extraction for PCB	87 Completed		%	05/02/12 05/03/12		JL */*	E160.3 SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.36	mg/Kg	05/06/12		МН	3540C/8082
PCB-1221	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1232	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1242	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1248	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1254	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1260	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1262	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1268	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	89		%	05/06/12		MH	30 - 150 %
% TCMX	95		%	05/06/12		MH	30 - 150 %

Page 41 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB79877
Client ID: N-24 0-1

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 42 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information Custody Information Date Time 05/02/12 Matrix: **SOLID** Collected by: NS 11:17 **Location Code:** LBG-PCB Received by: LB 05/02/12 14:55

Rush Request: Standard Analyzed by: see "By" below

Laboratory Data SDG ID: GBB79857

Phoenix ID: BB79878

Project ID: SATIN

P.O.#:

Client ID: N-24 1-1.5

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	88		%	05/02/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/03/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.36	mg/Kg	05/06/12		МН	3540C/8082
PCB-1221	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1232	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1242	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1248	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1254	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1260	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1262	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
PCB-1268	ND	0.36	mg/Kg	05/06/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	99		%	05/06/12		MH	30 - 150 %
% TCMX	102		%	05/06/12		MH	30 - 150 %

Page 43 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB79878
Client ID: N-24 1-1.5

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 44 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB Standard

Rush Request:

P.O.#:

Custody Information

Collected by: Received by:

NS LB

05/02/12

Date

11:20

05/02/12

14:55

Time

see "By" below

Laboratory Data

Analyzed by:

SDG ID: GBB79857

Phoenix ID: BB79879

SATIN Project ID:

Client ID: N-24 5-6

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid Soxhlet Extraction for PCB	30 Completed		%	05/02/12 05/03/12		JL */*	E160.3 SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.56	mg/Kg	05/05/12		МН	3540C/8082
PCB-1221	ND	0.56	mg/Kg	05/05/12		MH	3540C/8082
PCB-1232	ND	0.56	mg/Kg	05/05/12		MH	3540C/8082
PCB-1242	ND	0.56	mg/Kg	05/05/12		MH	3540C/8082
PCB-1248	ND	0.56	mg/Kg	05/05/12		MH	3540C/8082
PCB-1254	ND	0.56	mg/Kg	05/05/12		MH	3540C/8082
PCB-1260	ND	0.56	mg/Kg	05/05/12		MH	3540C/8082
PCB-1262	ND	0.56	mg/Kg	05/05/12		MH	3540C/8082
PCB-1268	ND	0.56	mg/Kg	05/05/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	92		%	05/05/12		MH	30 - 150 %
% TCMX	81		%	05/05/12		MH	30 - 150 %

Page 45 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB79879
Client ID: N-24 5-6

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 46 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 10, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information Custody Information Date Time Matrix: **SOLID** Collected by: NS 05/02/12 11:22 **Location Code:** LBG-PCB Received by: LB 05/02/12 14:55

Rush Request: Standard Analyzed by: see "By" below

Laboratory Data SDG ID: GBB79857

Phoenix ID: BB79880

Project ID: SATIN

Client ID: N-24 6-7

P.O.#:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid Soxhlet Extraction for PCB	38 Completed		%	05/02/12 05/03/12		JL */*	E160.3 SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.84	mg/Kg	05/06/12		МН	3540C/8082
PCB-1221	ND	0.84	mg/Kg	05/06/12		MH	3540C/8082
PCB-1232	ND	0.84	mg/Kg	05/06/12		MH	3540C/8082
PCB-1242	ND	0.84	mg/Kg	05/06/12		MH	3540C/8082
PCB-1248	ND	0.84	mg/Kg	05/06/12		MH	3540C/8082
PCB-1254	ND	0.84	mg/Kg	05/06/12		MH	3540C/8082
PCB-1260	ND	0.84	mg/Kg	05/06/12		MH	3540C/8082
PCB-1262	ND	0.84	mg/Kg	05/06/12		MH	3540C/8082
PCB-1268	ND	0.84	mg/Kg	05/06/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	86		%	05/06/12		MH	30 - 150 %
% TCMX	91		%	05/06/12		MH	30 - 150 %

Page 47 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB79880

Client ID: N-24 6-7

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 10, 2012

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Page 48 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

May 10, 2012

QA/QC Data

SDG I.D.: GBB79857

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	Rec Limits	RPD Limits
QA/QC Batch 199984, QC S	ample No: BB79859 (BB7985	57, BB79858, BB7	9859, B	B79860	, BB79	861, BE	379862,	BB79863	3, BB79864)
Polychlorinated Bipher	nvls - Solid								
PCB-1016	ND	102	101	1.0				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	101	100	1.0				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	107	96	92	4.3				30 - 150	30
% TCMX (Surrogate Rec)	108	79	77	2.6				30 - 150	30
Comment:									
The batch MS and MSD recove within QA/QC limits.	eries could not be calculated due t	to the presence of PC	CB in the	unspiked	d sample	e. LCS/L	CSD rec	overies we	ere
QA/QC Batch 199978, QC S. BB79872, BB79873, BB7987 Polychlorinated Bipher	74, BB79875, BB79876, BB7					869, BE	379870,	BB79871	l,
PCB-1016	ND	89	98	9.6	101	88	13.8	40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	88	98	10.8	104	84	21.3	40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	109	89	92	3.3	90	79	13.0	30 - 150	30

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

113

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

% TCMX (Surrogate Rec)

MS Dup - Matrix Spike Duplicate

NC - No Criteria Intf - Interference Phyllis/Shiller, Laboratory Director

82

71

14.4

30

30 - 150

May 10, 2012

76

75

1.3

Thursday, May 10, 2012

Sample Criteria Exceedences Report

Page 1 of 1

Requested Criteria: GAM, RC

Request	ed Criteria: GA	AM, RC		-		GBB79857	_					Factored		
SampNo	LocCode	Acode	Phoenix Analyte	Criteria Units	ST	State Category	Crit	eria Name	Result	RL	Factored Criteria	RL Criteria	Analysis Units	
BB79859	LBG-PCB	\$PCB_SOXR	PCB-1254	mg/kg	СТ	Pesticides, Pcb's, Tph, A	RE	S DEC (mg/kg)	4800	360	1000	1000	ug/Kg	
BB79863	LBG-PCB	\$PCB_SOXR	PCB-1260	mg/kg	СТ	Pesticides, Pcb's, Tph, A	RE	S DEC (mg/kg)	2900	370	1000	1000	ug/Kg	


Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

Reasonable Confidence Protocol Laboratory Analysis QA/QC Certification Form

Laboratory Name: Phoenix Environmental Labs, Inc. Client: LBG-PCB Project Location: SATIN **Project Number:** Laboratory Sample ID(s): BB79857, BB79858, BB79859, BB79860, BB79861, BB79862, BB79863, BB79864, BB79865, BB79866, BB79867, BB79868, BB79869, BB79870, BB79871, BB79872, BB79873, BB79874, BB79875, BB79876, BB79877, BB79878, BB79879, BB79880 **Sampling Date(s):** 5/2/2012 **RCP Methods Used:** ☐ 1311/1312
☐ 6010 7000 7196 7470/7471 8081 ☐ EPH TO15 **✓** 8082 8270 9010/9012 □ VPH 8151 8260 ETPH For each analytical method referenced in this laboratory report package, were all ✓ Yes □ No specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CT DEP methodspecific Reasonable Confidence Protocol documents? Were the method specified preservation and holding time requirements met? ✓ Yes □ No EPH and VPH methods only: Was the VPH or EPH method conducted without 1b. ☐ Yes ☐ No **✓** NA significant modifications (see section 11.3 of respective RCP methods) 2. Were all samples received by the laboratory in a condition consistent with that ✓ Yes No. described on the associated Chain-of-Custody document(s)? Were samples received at an appropriate temperature (< 6 Degrees C)? 3. ✓ Yes □ No □ NA Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol 4. ✓ Yes □ No documents achieved? Were reporting limits specified or referenced on the chain-of-custody? 5a. ✓ Yes No. Were these reporting limits met? 5b. ✓ Yes □ No □ NA For each analytical method referenced in this laboratory report package, were results 6. \square NA ✓ Yes No reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents? Are project-specific matrix spikes and laboratory duplicates included in the data set? 7. ✓ Yes □ No □ NA Note: For all questions to which the response was "No" (with the exception of question #5a, #7), additional information must be provided in an attached narrative. If the answer to question #1, #1A or 1B is "No", the data package does not meet the requirements for "Reasonable Confidence". I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowlegde and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. Date: Thursday, May 10, 2012 Authorized Printed Name: Greg Lawrence Signature:

Position: Assistant Lab Director







RCP Certification Report

May 10, 2012

SDG I.D.: GBB79857

PCB Narration

Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol documents achieved? Yes.

Instrument: Au-ecd6 05/04/12-1 (BB79857, BB79858, BB79859, BB79860, BB79861, BB79862,

BB79863, BB79864, BB79865, BB79866, BB79867, BB79868, BB79869, BB79870,

BB79871, BB79872, BB79873, BB79874, BB79875, BB79879)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name Michael Hahn Position: Chemist Date: 5/4/2012

Instrument: Au-ecd6 05/05/12-1 (BB79857, BB79858, BB79859, BB79860, BB79861, BB79862,

BB79863, BB79864, BB79865, BB79866, BB79867, BB79868, BB79869, BB79870,

BB79871, BB79872, BB79873, BB79874, BB79875, BB79879)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name Michael Hahn Position: Chemist 5/5/2012

Instrument: Au-ecd6 05/06/12-1 (BB79876, BB79877, BB79878, BB79880)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none


The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name Michael Hahn Position: Chemist Date: 5/6/2012

OC Comments: OC Batch 99984 05/04/12 (BB79857, BB79858, BB79859, BB79860, BB79861,

BB79862, BB79863, BB79864)







RCP Certification Report

May 10, 2012

SDG I.D.: GBB79857

The batch MS and MSD recoveries could not be calculated due to the presence of PCB in the unspiked sample. LCS/LCSD recoveries were within QA/QC limits.

QC (Site Specific)

Sample No: BB79859, QA/QC Batch: 199984 ------

ao (one opeomo)
Sample No: BB79859, QA/QC Batch: 199984
All LCS recoveries were within 40 - 140 with the following exceptions: None.
All LCSD recoveries were within 40 - 140 with the following exceptions: None.
All LCS/LCSD RPDs were less than 30% with the following exceptions: None.
Sample No: BB79866, QA/QC Batch: 199978
All LCS recoveries were within 40 - 140 with the following exceptions: None.

All LCSD recoveries were within 40 - 140 with the following exceptions: None.

All LCS/LCSD RPDs were less than 30% with the following exceptions: None.

All MS recoveries were within 40 - 140 with the following exceptions: None.

All MSD recoveries were within 40 - 140 with the following exceptions: None.

All MS/MSD RPDs were less than 30% with the following exceptions: None.

A matrix effect is suspected when a MS/MSD recovery is outside of criteria. No further action is required if LCS/LCSD compounds are within criteria.

			CHAIN OF CUSTODY RECORD	USTODY	RECORD		O dwal	Pg 7-of 9	
		587 East	Middle Turnpike, I	⊃.O. Box 370, N	lanchester. CT 06040	Dat	Data Delivery:		
Environmental Laboratories, Inc.		Ema	It: info@phoenixlabs.com	tbs.com Fax ces (860) 6	Email: info@phoenixlabs.com Fax (860) 645-0823 Client Services (860) 645-8726	X	Email DJONES & LBGCT COM	LBGCT COM	
Customer: L&G.Inc			Project:	Satio	Ċ		Project P.O.		Т
Address:			Report to:		Darnck Jones		Phone #:		
			Invoice to:		' 1		Fax #:		T
Client Sample - Information - Identification	fication			-					K
Signature Mulcinu Jung zul	Date: 5	21-2	Analysis Request	SIX NO. X			City	140001	7
Matrix Code: DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water SE=Coding ST=Coding ST=Cod	ater WW=Wast	e Water	13. 13. 13. 13. 13. 13. 13. 13. 13. 13.	(C)			To legion to	Mados Mados	
st-siddge s-soli/solid			10.	\ \ \	////		Well Willel	S.	~
PHOENIX USE ONLY Customer Sample Sample SAMPLE # Identification Matrix	ile Date	Time Sampled	6000			\$ 165 XS 165	07 141 0x	P & LONG CONTROLL SOLL SOLL SOLL SOLL SOLL SOLL SOLL	
79857 N-32 (7-8) S	:-0	940	X						
79858 N-32 (8-8.5)		942	×						
79859 N-37 (0-1)		916	x						
79860 N-37 (15-2)		ଧାଞ	×						
79861 N-37 (2-2.5)		920	X						
79862 N-38 (0-1)		850	×						
79863 N-38 (1-2)		852	×						
79844 N.38 (2-25)		क्षेड्रभ	X			-			
79865 N-38 (5-6)		985	×						
79866 N.38 (6.7)		407	X						
		989	X						
79868 N-38 (8-85) V	>	610	X						
5	/			Time:			MA	Data Format	$\overline{}$
Joseph Street Man She	7		2/2/5	1250	☐ Direct Exposure (Residential)	RCP Cert	MCP Certification	Excel	
(Hanadis	9		5/2/12	1455	☐ GW	」GW Protection ☐ SW Protection	[A PDF ☐ GIS/Key	
					Other	GA Mobility	☐ GW-3	EQUIS	
Comments, Special Requirements or Regulations:	-		Turnaround:		<u>. Led</u>] GB Mobility	S-1	Data Package	

<u>Data Package</u>
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other

S-2
S-3
MWRA eSMART
Other

Residential DEC

Iumaround:
1 Day*
2 Days*
3 Days*
X Standard
Other
* SURCHARGE APPLIES

Please hold for potential Comments, Special Requirements or Regulations:

future analyses

* SURCHARGE APPLIES

5

State where samples were collected:

4,	
MARKETT	
Chief In	Inc.
	13
1 3 3 2 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	S
~20020W	- 20-2
	0
	3
	33
	aboratories
	20
-/-	-
	B
	2000
	36
	3.33
	0
	vironmenta
	3
•	,

CHAIN OF CUSTODY RECORD

	O_{poly}	Pg 3 of 7
Data Delivery:	•	
Fax #:		
K Email: DJ	DJONES DLBGCT.C	BGCT.COM

587 East Middle Turnpike, P.O. Box 370, Manchester. CT 06040 Email: info@phoenixlabs.com Fax (860) 645-0823 Client Services (860) 645-8726

		140001111111111111111111111111111111111		Color													Data Format	Excel	K PDF GIS/Key
Project P.O:	Fax #:		\$ \$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	18: 80 10 10 10 10 10 10 10 10 10 10 10 10 10													MA	ertification	Gw-1 Gw-2
				\$ 40 7 10'S													וכ	X	GW Protection
Satin	Damck Johns	6133148															교		
Project:	Invoice to:	Analysis Request	Sign	To State of the St	×	×	×	×	×	X	X	×	×	×	×	×	Date: Time:	5/2/12 13:25	526 1326
		ate: 5-1-12		Date Time Sampled Sampled		1 1430	1432	1416	1418	1425	1422	1426	1115	£	1120	V 1122			aper Del
		rmation - Identificat	• SW=Surface Water Solid W=Wipe	ple Sample Matrix	S				\sim			(9		(3	_	→	Accepted by:	L. L. Dall	lsibles X. [11]
LBG, Inc		Client Sample - Information - Identification Welchul Phepcul D	Matrix Gode: DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other	Customer Sample Identification	N-22 (0-1)	N-22 (1-2)	N-22 (5-6)	N-23 (0-1)	N-23 (1-1.5	N-23 (5-6)	N-23 (6-7)	N-23 (7-7.5)	N-24 (0-1)	N-24 (1-1.5)	N-24 (5-6)	N-24 (6-7)	,	B. S. C. C.	100 1 Mar
Customer:	Addicess.	Sampler's WU	Matrix Code: DW=Drinking Wate SE=Sediment SI	PHOENIX USE ONLY SAMPLE #	1986g	19870	16851	79872	79873	79874	79875	79876	79877	79878	79879	79880	Relinquished by	Os alles la	S)

Data Package
Tier II Checklist
Full Data Package*
Phoenix Std Report
Other

☐ MWRA eSMART ☐ Other

Other

KResidential DEC

EQuIS Other

☐ GW-3

SW Protection
KGA Mobility
GB Mobility

Other ow □

5/2/13

S-1 S-2 * SURCHARGE APPLIES

C1

State where samples were collected:

* SURCHARGE APPLIES

Turnaround:
1 Day*
2 Days*
3 Days*
X Standard
Other

* Please HOLD remaining samples

OMMENTS, Special Requirements or Regulations:

for possible addit analyses *